INFRARED THERMOMETER

Model 8875



8875 is a modern device that uses IR rays to measure temperature and is easy to use. This model has the following characteristics:

- ◆ Precise non-contact measurement
- ◆ Adjustable emissivity coefficient
- ◆ Temperature reading in °F or °C
- ♦ Automatic data storage
- ♦ Laser marking of the measuring point
- ♦ Backlight display

CHARACTERISTICS

Temperature range: - 40-500 C Length-beam ratio: D:S = 10:1

Resolution: $0,1^{\circ}\text{C}/0,1^{\circ}\text{F} (-40\sim100^{\circ}\text{C}(212^{\circ}\text{F}))$ Accuracy: +/-2% or $2^{\circ}\text{C} (-20\sim200^{\circ}\text{C})$

+/- 3% or 3°C (<-20°C or >200°C)

Emissivity coefficient: 0,30-1,00 adjustable

Reading speed: Approx. 1 s

Switching off: 10 seconds after use Power supply: 9 V battery Rated current: Approx. 12 mA


DC Weight: 200g

Dimensions: 160 x 50 x 32,5 mm

Ambient conditions: 0~50°C(32~122°F) Max. 80%RH.

COMPONENT ELEMENTS

- 1. Laser Pointer
- 2. Infrared sensor
- 3. LCD-Display
- 4. C/F change button
- 5. Display backlight button
- 6. Mode
- 7. Laser button
- 8. Measurement button
- 9. Battery housing



DISPLAY

- 1. °C/°F: Temperature unit
- 2. ε: Emissivity coefficient
- 3. H: Data retention
- 4. -ft: Laser
- 5. Q: Battery indicator
- 6. Main display: Measurement reading
- 7. Secondary display: Emissivity coefficient